


Fall arresters

on a flexible anchorage line



OTHER SNAP HOOKS ON REQUEST



LINOSTOP II

guided type fall arrester
 on a flexible anchorage line

EN 353-2



Ref.: AC 060

Rope grab: stainless steel;
 Energy dissipater: polyamide.

Standards:

AC 060 + AZ 002 + working rope length 5m
 AC 060 + AZ 002 + working rope length 10m
 AC 060 + AZ 002 + working rope length 15m
 AC 060 + AZ 002 + working rope length 20m
 AC 060 + AZ 002 + working rope length 25m
 AC 060 + AZ 002 + working rope length 30m
 AC 060 + AZ 002 + working rope length 35m
 AC 060 + AZ 002 + working rope length 40m
 AC 060 + AZ 002 + working rope length 50m
Other lenghtes on request.

Fall arresters

on a flexible anchorage line

AC 010

guided type fall arrester
 on a flexible anchorage line

EN 353-2 

Ref.: AC 010
 Rope grab: steel;
 Dissipater energy: polyamide;



snap hooks for replace AZ 002

- AXK 10**
aluminium
opening: 22 mm
weight: 120 g
- AZ 003**
aluminium
opening: 20 mm
weight: 160 g
- AZ 004**
aluminium
opening: 22 mm
weight: 180 g
twist lock
- AZ 040**
aluminium
opening: 23 mm
weight: 80 g
- AZ 041T**
aluminium
opening: 23 mm
weight: 100 g
twist lock
- AZ 042**
galvanized steel
opening: 23 mm
weight: 230 g
- AZ 043T**
galvanized steel
opening: 23 mm
weight: 250 g
twist lock

AC 100 - WORKING ROPE FOR AC 010

EN 353-2 

Standards:
 Ref.: AC 100 10 - length 10 m
 Ref.: AC 100 20 - length 20 m
 Ref.: AC 100 30 - length 30 m
 Ref.: AC 100 40 - length 40 m
 Ref.: AC 100 50 - length 50 m
Other lengths on request.

OTHER SNAP HOOKS ON REQUEST



Fall arresters

on a flexible anchorage line

AC 040


guided type fall arrester
on a flexible anchorage line

EN 353-2



Ref.: AC 040

Rope grab: stainless steel;



AC 009

guided type fall arrester
on a flexible anchorage line

EN 353-2



Ref.: AC 009



AC 200 - WORKING ROPE FOR AC 009 AND AC 040

EN 353-2



Standards:

Ref.: AC 200 10 - length 10 m

Ref.: AC 200 20 - length 20 m

Ref.: AC 200 30 - length 30 m

Ref.: AC 200 40 - length 40 m

Ref.: AC 200 50 - length 50 m

Other lengths on request.



Fall arresters on a rigid anchorage line

SKC-BLOCK GUIDED TYPE FALL ARRESTER ON A RIGID ANCHORAGE LINE

EN 353-1



snap hook
Ref.: AZ 011
zinc-plated steel



rope grab
Ref.: AC 350
weight 380 g
stainless steel



rope guide
Ref.: AC 920
rubber rope holder
zinc plated steel



stainless wire rope
Ref.: AC 850
diameter Ø 8 mm
stainless steel
equipped with
stainless steel thimble



screw clip
Ref.: AC 930
stainless steel



rope tensioner
Ref.: AC 910
stainless steel



snap hook
Ref.: AZ 011
zinc-plated steel